Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Bond and primer

Company : Guangzhou Youxing Cosmetics Co.,Ltd

No 32, Shuanghe 2nd

Road, Changhong, Baiyu Dist

Guangzhou China

Telephone : +86 20 34374677 Fax : +86 20 36520253 Emergency Phone # : +86 15818172923

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No1272/2008

Flammable liquids (Category 2) Eye irritation (Category 2)

Specific target organ toxicity - single exposure (Category 3)

According to European Directive 67/548/EEC as amended.

Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Label elements

Pictogram



Signal word Danger

Hazard statement(s)

H319 Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Hazard symbol(s)

F Highly flammable

Xi Irritant

R-phrase(s)

R11 Highly flammable. R36 Irritating to eyes.

Sigma-Aldrich - 270989 Page 1 of 6

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

S-phrase(s)

S16 Keep away from sources of ignition - No smoking.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S33 Take precautionary measures against static discharges.

Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	EC-No.	INCI Name	Weight Rate(%)
Ethyl acetate	141-78-6	205-500-4	Ethyl acetate	90.0-99.5
Calcium pantothenate	137-08-6	/	Calcium pantothenate	0.
Riboflavin	83-88-5	201-507-1	Riboflavin	0.2-0.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE

MEASURES Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma-Aldrich - 270989 Page 2 of 6

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid Colour colourless

Safety data

pH no data available

Melting point -84 °C

Boiling point 76,5 - 77,5 °C

Flash point -3,0 °C - closed cup

Ignition temperature 427 °C

Lower explosion limit 2,2 %(V)

Upper explosion limit 11,5 %(V)

Vapour pressure 97,3 hPa at 20,0 °C

Sigma-Aldrich - 270989 Page 3 of 6

Density 0,902 g/mL at 25 °C

Water solubility soluble

Partition coefficient: log Pow: 0,73

n-octanol/water

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 5.620 mg/kg

LC50 Inhalation - mouse - 2 h - 45.000 mg/m3

LD50 Dermal - rabbit - > 180.000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye

irritation no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause damage to organs.

Specific target organ toxicity - repeated

exposure no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation. Repeated

exposure may cause skin dryness or cracking.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure

Central nervous system depression, Drowsiness, narcosis, anemia

Additional Information RTECS: AH5425000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 350,00 - 600,00 mg/l - 96 h

LC50 - Pimephales promelas (fathead minnow) - 220,00 - 250,00 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates.

EC50 - Daphnia magna (Water flea) - 2.300,00 - 3.090,00 mg/l - 24 h

LC50 - Daphnia magna (Water flea) - 560 mg/l - 48 h

Toxicity to algae EC50 - No information available. - 4.300,00 mg/l - 24 h

EC50 - SELENASTRUM - 1.800,00 - 3.200,00 mg/l - 72 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

ADR/RID

UN-Number: 1173 Class: 3 Packing group: II

Proper shipping name: ETHYL ACETATE

IMDG

UN-Number: 1173 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ETHYL ACETATE

Marine pollutant: No

IATA

UN-Number: 1173 Class: 3 Packing group: II

Proper shipping name: Ethyl acetate

Sigma-Aldrich - 270989 Page 5 of 6

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

EUH066 Repeated exposure may cause skin dryness or cracking.

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

F Highly flammable

Xi Irritant

R11 Highly flammable. R36 Irritating to eyes.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

Sigma-Aldrich - 270989 Page 6 of 6