

# Material Safety Data Sheet

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Dehydrator

Company : Guangzhou Youxing Cosmetics Co.,Ltd  
No 32, Shuanghe 2<sup>nd</sup>  
Road, Changhong, Baiyu Dist  
Guangzhou  
China

Telephone : +86 20 34374677  
Fax : +86 20 36520253  
Emergency Phone # : +86 15818172923  
:

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

According to Regulation (EC) No1272/2008

Flammable liquids (Category 2)

Eye irritation (Category 2)

Specific target organ toxicity - single exposure (Category 3)

According to European Directive 67/548/EEC as amended.

Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

### Label elements

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

H336

May cause drowsiness or dizziness.

EUH066

Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard symbol(s)

F

Highly flammable

Xi

Irritant

R-phrases(s)

R11

Highly flammable.

R36

Irritating to eyes.

R66 Repeated exposure may cause skin dryness or cracking.  
R67 Vapours may cause drowsiness and dizziness.

S-phrases(s)  
S16 Keep away from sources of ignition - No smoking.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S33 Take precautionary measures against static discharges.

**Other hazards** - none

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	EC-No.	INCI Name	Weight Rate(%)
<b>Ethyl acetate</b>	141-78-6	205-500-4	<b>Ethyl acetate</b>	90.0-99.5
Calcium pantothenate	137-08-6	/	Calcium pantothenate	0.1
Riboflavin	83-88-5	201-507-1	Riboflavin	0.2-0.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

### 4. FIRST AID MEASURES

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Further information**

Use water spray to cool unopened containers.

---

### 6. ACCIDENTAL RELEASE

**MEASURES Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods and materials for containment and cleaning up**

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

**7. HANDLING AND STORAGE****Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Conditions for safe storage**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Personal protective equipment****Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Hand protection**

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Handle with gloves.

**Eye protection**

Face shield and safety glasses

**Skin and body protection**

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form clear, liquid

Colour colourless

**Safety data**

pH no data available

Melting point -84 °C

Boiling point 76,5 - 77,5 °C

Flash point -3,0 °C - closed cup

Ignition temperature 427 °C

Lower explosion limit 2,2 %(V)

Upper explosion limit 11,5 %(V)

Vapour pressure 97,3 hPa at 20,0 °C

Density	0,902 g/mL at 25 °C
Water solubility	soluble
Partition coefficient: n-octanol/water	log Pow: 0,73

---

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Conditions to avoid

Heat, flames and sparks.

### Materials to avoid

Strong oxidizing agents

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

LD50 Oral - rat - 5.620 mg/kg

LC50 Inhalation - mouse - 2 h - 45.000 mg/m<sup>3</sup>

LD50 Dermal - rabbit - > 180.000 mg/kg

### Skin corrosion/irritation

no data available

### Serious eye damage/eye

irritation no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

May cause damage to organs.

### Specific target organ toxicity - repeated exposure

no data available

### Aspiration hazard

no data available

### Potential health effects

#### Inhalation

May be harmful if inhaled. May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.

<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
<b>Eyes</b>	Causes eye irritation.

#### Signs and Symptoms of Exposure

Central nervous system depression, Drowsiness, narcosis, anemia

#### Additional Information

RTECS: AH5425000

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 350,00 - 600,00 mg/l - 96 h
	LC50 - Pimephales promelas (fathead minnow) - 220,00 - 250,00 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates.	EC50 - Daphnia magna (Water flea) - 2.300,00 - 3.090,00 mg/l - 24 h
	LC50 - Daphnia magna (Water flea) - 560 mg/l - 48 h
Toxicity to algae	EC50 - No information available. - 4.300,00 mg/l - 24 h
	EC50 - SELENASTRUM - 1.800,00 - 3.200,00 mg/l - 72 h

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

### Other adverse effects

no data available

---

## 13. DISPOSAL CONSIDERATIONS

### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### ADR/RID

UN-Number: 1173 Class: 3 Packing group: II  
Proper shipping name: ETHYL ACETATE

### IMDG

UN-Number: 1173 Class: 3 Packing group: II EMS-No: F-E, S-D  
Proper shipping name: ETHYL ACETATE  
Marine pollutant: No

### IATA

UN-Number: 1173 Class: 3 Packing group: II  
Proper shipping name: Ethyl acetate